

(スノム 1g)

培養期間	(スノム 1g	スノム 1g+(スノム 1g+(スノム 1g+(スノム 1g+(オイルA 1.0r	オイルB 1.0ml
0	0	0	0	0	0	0	0
5	16.9	21	20.1	20	18.6	2.97	0.46
10	23.4	28.9	33.7	28	34.7	4.1	0.55
15	30.9	35.9	43.7	33.5	42.8	4.67	1.53
20	34	44.4	48.7	37.7	47.7	5.27	1.91
25	37.3	46.3	52.1	41.9	51.3	5.83	2.19
30	39.7	49.8	54.9	48	54.4	6.31	2.37

(スノム 2g)

培養期間	(スノム 2g	スノム 2g+(スノム 2g+(スノム 2g+(スノム 2g+(オイルA 1.0r	オイルB 1.0ml
0	0	0	0	0	0	0	0
5	23.6	23	21.4	22.8	21.8	2.97	0.46
10	37	38.1	38.3	42.2	40.5	4.1	0.55
15	44.1	56.3	53.1	56.8	51.5	4.67	1.53
20	49.5	69	65.3	66.1	65.6	5.27	1.91
25	53.7	77.8	74.1	72.5	77	5.83	2.19
30	57.2	85.1	80.6	77.6	84.8	6.31	2.37





図1. 供試土壌からの炭酸ガス放出量の変化